

ELEVATION CERTIFICATE



FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

				9	, and the same of		
	SECTION A PR	OPERTY INFO	RMATION		FOR INSURANCE COMPANY USE		
BUILDING OWNER'S NAME	cold Mc Cross		1		POLICY NUMBER		
Mr. & Mrs. Harold Mc Creary STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 10549 Washington Road					COMPANY NAIC NUMBER		
OTHER DESCRIPTION (Lot and Lot 11 Block	Block Numbers, etc.) 4458 Port Chari	otte Secti	ion 82		,		
CITY Port Chi	al otte			STATE.	ZIP CODE 33952		
	SECTION B FI	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION			
Provide the following from t	ide the following from the proper FIRM (See Instructions): 12/15/2021 FEMA changed property to AE 8 Flood Zone						
1. COMMUNITY NUMBER 120061	2. PANEL NUMBER 0110	3. SUFFIX D	4. DATE OF FIRM INDEX 6/16/93	5. FIRM ZONE A-11	6. BASE FLOOD ELEVATION (in AO Zones, use depth)		
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back) 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7).							
SECTION C BUILDING ELEVATION INFORMATION							
of 9.3 fee (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The one) the highest grade level) elevated in account and account and a comment on Page 1.5 The reference level elever (NOTE: Use of construct case this certificate will owill be required once con 6. The elevation of the lower the selevation of the lower the selected diagram, the selected diagram diag	et NGVD (or other FIF VE, and V (with BFE) is at an elevation of EBFE). The floor use the highest grade at floor used as the reference adjacent to the build ordance with the computum system used in compact (NOTE: If the B, Item 7], then converts on Page 2.) It used appears on File ation is based on: It will be the build for the bustruction is complete.	RM datum—see The bottom of the bottom of the dast he reference discent to the bottom of the bottom of the bottom of the determining the delevation datument the elevation datument the devation datument	Section B, Item 7). of the lowest horizontal struction is feet NGVD (or other FIR nee level from the selected uilding. In the selected diagram is depth number is available ain management ordinance above reference level elemn used in measuring the ensist to the datum system used in the construction is construction in the course of construction.	ructural member M datum—see Se d diagram is Light feet a e, is the building ce? Yes Vations: X NGN elevations is diffe sed on the FIRM on Page 4) rawings e reference level A post-construct	bove or below (check 's lowest floor (reference No Unknown /D '29 Other (describe rent than that used on and show the conversion floor in place, in which tion Elevation Certificate		
Section B, Item 7).	`						
			OMMUNITY INFORMATIO				
	as defined in the compordinance is:	munity's floodpl	ain management ordinand	ce, the elevation Im-see Section			


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME		LICENSE NUMBER (or Affix	(Seal)	
John R Ga	arqis	PLS 2324		
TITLE	9	COMPANY NAME		
Profes	sional Land Surveyor	Douglas Surveying I	lnc.	
ADDRESS		CITY	STATE	ZIP
1300 Ei	nterpr/3e D/	Port Charlotte	FL	33953
SIGNATURE	Juk Hereis	3P\$76/94	PHONE 4900	
Copies should b	pe made of this Certificate for: 1)	community official, 2) insurance agent/	company, and 3) build	ling owner.
				right.
COMMENTS:	Field Book 151 page 7	0		3 02
COMMENTS:	Field Book 151 page 7 Drawing Number 93-104		AREO I	
COMMENTS:	Drawing Number 93-104		ARLO THE CO	3 28
COMMENTS:	Drawing Number 93-104	3	ARLOTTE COUN	A 988



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.