
LOT 167+179 CASCADE BAY

HARDY
REAL ESTATE TEAM
HARDYTEAM.CA | INFO@HARDYTEAM.CA



Estimated Areas:

Below Main: 1444 sq. ft
Main Floor: 1545 sq. ft
Above Main: 1052 sq. ft
Loft: 195 sq. ft
Total Sq. Ft: 4236


Additional Areas:

Deck: 2342 sq. ft

*** E&O Insured. For advertising purposes onlv. Not intended for architectural or construction use. Floorolan and measurements are approximate within +/- 2% tolerance

LOT 167+179 CASCADE BAY

HARDY
REAL ESTATE TEAM
HARDYTEAM.CA | INFO@HARDYTEAM.CA



Estimated Areas:

Below Main: 1444 sq. ft
Main Floor: 1545 sq. ft
Above Main: 1052 sq. ft
Loft: 195 sq. ft
Total Sq. Ft: 4236

Additional Areas:


Deck: 2342 sq. ft

*** E&O Insured. For advertising purposes only. Not intended for architectural or construction use. Floorplan and measurements are approximate within +/- 2% tolerance

LOT 167+179 CASCADE BAY

HARDY REAL ESTATE TEAM

HARDYTEAM.CA | INFO@HARDYTEAM.CA



Estimated Areas:

Below Main: 1444 sq. ft
Main Floor: 1545 sq. ft
Above Main: 1052 sq. ft
Loft: 195 sq. ft
Total Sq. Ft: 4236


Additional Areas:

Deck: 2342 sq. ft

*** E&O Insured. For advertising purposes only. Not intended for architectural or construction use. Floorolan and measurements are approximate within +/- 2% tolerance

LOT 167+179 CASCADE BAY

HARDY
REAL ESTATE TEAM
HARDYTEAM.CA | INFO@HARDYTEAM.CA



Estimated Areas:
Below Main: 1444 sq. ft
Main Floor: 1545 sq. ft
Above Main: 1052 sq. ft
Loft: 195 sq. ft
Total Sq. Ft: 4236

Additional Areas:
Deck: 2342 sq. ft

*** E&O Insured. For advertising purposes only. Not intended for architectural or construction use. Floorplan and measurements are approximate within +/- 2% tolerance

LOT 167+179 CASCADE BAY

HARDY REAL ESTATE TEAM

HARDYTEAM.CA | INFO@HARDYTEAM.CA



Estimated Areas:

Below Main: 1444 sq. ft

Main Floor: 1545 sq. ft

Above Main: 1052 sq. ft

Loft: 195 sq. ft

Total Sq. Ft: 4236

Additional Areas:

Deck: 2342 sq. ft

*** E&O Insured. For advertising purposes only. Not intended for architectural or construction use. Floorolan and measurements are approximate within +/- 2% tolerance