

GASTON COUNTY ENVIRONMENTAL HEALTH DIVISION

OPERATION PERMIT

CODE/SUB

191

Date OP Issued

8/8/18

Owner Name:

Natalie Parker

Address:

123 LL Harwell Rd.

City/St.:

Gastonia 28052

Zip:

28052

Receipt #:

1149

Date Installed:

8/8/18

IP/CA #:

28206

Type Dwelling:

HOUSE

Bedrooms:

5

of Users/Total People:

10

Est. Daily Flow:

600 gpd.

of Trenches:

5

(Repair) # Trenches:

Depth of Aggregate:

12"

PID:

150870

Well Type: Drilled Bored

of Tanks:

1

Cap:

1500 gal.

of Tanks:

Cap:

System Class:

IIa

Description:

Gravity flow to serial dist. 4' deep curtain drain, 1' wide EZ flow.

Pump Manufacturer:

HP

Drawdown

Sub Name:

Lot #:

Block:

Lot Area:

9.34 ACRES.

Location:

123 LL Harwell Rd.

Basement:

Plumbing:

Garage Disposal:

Installer:

TRENT RHEA

Precast Manufacturer:

Hamrick

Sq. Ft.:

1500

Lin. Ft.:

500

Width:

36"

Max. Depth

60"

Sq. Ft.:

Lin. Ft.:

Width:

Max. Depth

Type of Aggregate:

E-Z Flow

PIN:

3563-10-4761

Well Permit #

(A) Public Community

(B) Public Non-Community

(C) Private

(D) Community

(E) Municipal

N

R


E

IP/CA Issued By:

Jason Conrad

Inspected By:

Datha C.S.



HOUSE SEWER: 18 feet from right left front rear corner

SEPTIC TANK: Front, rear right side, left side of building. Perpendicular, parallel angle 5 feet from building.

DISTRIBUTION DEVICE: 30' feet from end, side, corner of septic tank.
DRAIN FIELD: 15' feet from building at nearest point.

WELL (IF ANY): — feet from septic tank and
— feet from disposal field.

SITE CLASSIFICATION: Suitable, Provisionally Suitable.

Ground absorption sewage treatment and disposal systems shall be checked, and the contents of the septic tank removed, periodically from all compartments, to ensure proper operation of the system. The contents shall be pumped whenever the solids level is found to be more than 1/3 of the liquid depth in any compartment

REMARKS: No well, Public water