

Water Right Summary



[get image](#)
[list](#)

WR File Number:	RG 51952	Subbasin:	NRG	Cross Reference:
Primary Purpose:	STK 72-12-1 LIVESTOCK WATERING			
Primary Status:	PMT Permit			
Total Acres:		Subfile:		Header:
Total Diversion:	3.000	Cause/Case:		
Owner:	MARIA O. CATANACH	Owner Class:	Owner	
Contact:				

Documents on File

Transaction Images	Trn #	Doc	File/Act	Status 1	Status 2	Transaction Desc.	From/To	Acres
get images	738129	72121	1990-02-21	PMT	LOG	RG 51952	T	

Current Points of Diversion

POD Number	Well Tag	Source	Q64	Q16	Q4	Sec	Tw	Rng	X	Y	Map	Other Location C
RG 51952		Shallow	SE	SE	SE	24	14N	09E	415502.0	3920183.0 *		

* UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

3/30/26 12:29 PM MST

Water Rights Summary

Transaction Summary

72121 All Applications Under Statute 72-12-1

Transaction Number: 738129 **Transaction Desc:** RG 51952 **File Date:** 1990-01-29

Primary Status: PMT Permit

Secondary Status: LOG Well Log Received

Person Assigned: *****

Applicant: MARIA O. CATANACH

Contact:

Events

Event Images	Date	Type	Description	Comment	Processed By
 .get images	1990-01-29	APP	Application Received	*	*****
	1990-02-21	FIN	Final Action on application		*****
	1990-02-21	WAP	General Approval Letter		*****
 .get images	1990-03-09	LOG	Well Log Received	*	*****
	2022-12-01	QAT	Quality Assurance Completed	SQ2	*****
	2022-12-06	QAT	Quality Assurance Completed	IMAGES	*****
	2023-07-06	ARW	WRAB Main File Rm Arch Sect	RG 51952 Archived	*****

Change to

WR File Nbr	Acres	Diversion	Consumptive	Purpose of Use
RG 51952		3.000		STK 72-12-1 LIVESTOCK WATERING

Point of Diversion

POD Nbr	Easting	Northing	Map	Grant
RG 51952	415502.0	3920183.0 *		

* UTM location was derived from PLSS - see Help

Conditions:

- 4** Use shall be limited to household, non-commercial trees, lawn and garden not to exceed one acre and/or stock use.
- D** The casing shall not exceed 7 inches outside diameter except under specific conditions in which reasons satisfactory to the State Engineer are shown.

Action of the State Engineer

**** See Image For Any Additional Conditions of Approval ****

Approval Code: A

Action Date: 1990-02-21

Log Due Date: 1991-02-15

State Engineer: Mike A. Hamman, P.E.

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

3/30/26 12:30 PM MST

Transaction Summary

STATE ENGINEER OFFICE

WELL RECORD

Section 1. GENERAL INFORMATION

(A) Owner of well Maria O. Catanach Owner's Well No. _____
 Street or Post Office Address 3401 Hastings Dr. NE
 City and State Albuquerque, NM 87106

Well was drilled under Permit No. RG-51952 and is located in the:

a. $\frac{1}{4}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 24 Township 14N Range 9E N.M.P.M.

b. Tract No. _____ of Map No. _____ of the _____

c. Lot No. _____ of Block No. _____ of the _____
 Subdivision, recorded in Santa Fe County.

d. X= _____ feet, Y= _____ feet, N.M. Coordinate System _____ Zone in the _____ Grant.

(B) Drilling Contractor Dennisson Drilling License No. WD-49

Address P.O. Box 86 Stanley, NM 87056

Drilling Began 02/26/90 Completed 02/27/90 Type tools Rotary Size of hole 12 in.

Elevation of land surface or _____ at well is _____ ft. Total depth of well 55 ft.

Completed well is ☒ shallow ☐ artesian. Depth to water upon completion of well 36 ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet		Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
From	To			
30	42	12	Sand & Gravel	20

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet		Length (feet)	Type of Shoe	Perforations	
			Top	Bottom			From	To
5" PVC			0	55	55	Plugged	22	42

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet		Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement
From	To				

Section 5. PLUGGING RECORD

Plugging Contractor _____
 Address _____
 Plugging Method _____
 Date Well Plugged _____
 Plugging approved by: _____

State Engineer Representative

No.	Depth in Feet		Cubic Feet of Cement
	Top	Bottom	
1			
2			
3			
4			

FOR USE OF STATE ENGINEER ONLY

Date Received 3-9-90

Quad _____ FWL _____ FSL _____

File No. RG-51952 Use Sim-Sk Location No. 14N. 9E. 24. 444

(Santa Fe)

[illegible]

Well WAS GRAVEL PACKED.

Ronnie J. Driffler

INSTRUCTIONS: This form should be executed in triplicate, preferably typewritten, and submitted to the appropriate district office of the State Engineer. All sections, except Section 5, shall be answered as completely and accurately as possible when any well is drilled, repaired or deepened. When this form is used as a plugging record, only Section 1(a) and Section 5 need be completed.

READ INSTRUCTIONS ON BACK

Revised March 1979

APPLICATION TO APPROPRIATE UNDERGROUND WATERS IN ACCORDANCE WITH SECTION 72-12-1 NEW MEXICO STATUTES

30 FEB 26 10:12

1. Name and Address of Applicant:

File No. RG-51952Maria O. Catanach3401 Hastings Dr., NEAlbuquerque, NM 87106

2. Describe well location under one of the following subheadings:

a. SE 1/4 SE 1/4 SE 1/4 of Sec. 24 Twp. 14N Rge. 9E N.M.P.M., in
Santa Fe County.

b. Tract No. _____ of Map No. _____ of the _____

c. Lot No. _____ of Block No. _____ of the _____
Subdivision, recorded in _____ County.

d. X = _____ feet, Y = _____ feet, N.M. Coordinate System _____ Zone
in the _____ Grant.

e. Give street address or route and box No. of property upon which well is to be located, or location by direction and
distance from known landmarks _____

3. Approximate depth (if known) 80 feet; outside diameter of casing _____ inches.

Name of driller (if known) Dennison

4. Use of water (check appropriate box or boxes):

- ☐ One household, non-commercial trees, lawn and garden not to exceed 1 acre.
- ☒ Livestock watering.
- ☐ More than one household, non-commercial trees, lawns and gardens not to exceed a total of 1 acre.
- ☐ Drinking and sanitary purposes and the irrigation of non-commercial trees, shrubs and lawns in conjunction with a commercial operation.
- ☐ Prospecting, mining or drilling operations to discover or develop natural resources.
- ☐ Construction of public works, highways and roads.

If any of the last four were marked, give name and nature of business under Remarks. (Item 5)

5. Remarks:

I, _____, affirm that the foregoing statements are true to the best of my knowledge and belief and that development shall not commence until approval of the permit has been obtained.

Maria O. Catanach

Applicant

By: [Signature]

(Brother)

Date: January 29, 1990

ACTION OF STATE ENGINEER

This application is approved for the use indicated, subject to all general conditions and to the specific conditions numbered 4 on the reverse side hereof. This permit will automatically expire unless this well is drilled or driven and the well record filed on or before February 15, 1991.

S.E. Reynolds, State Engineer

By: [Signature]

D. A. spanza

Date: February 21, 1990

Please refer to condition 4 on the reverse
side of this permit.

File No. RG-51952

GENERAL CONDITIONS OF APPROVAL

- A. The maximum amount of water that may be appropriated under this permit is 3 acre feet in any year.
- B. The well shall be drilled only by a driller licensed in the State of New Mexico in accordance with Section 72-12-12 New Mexico Statutes Annotated. A licensed driller shall not be required for the construction of a driven well; provided, that the casing shall not exceed two and three-eighths (2 3/8) inches outside diameter (Section 72-12-12).
- C. Driller's log must be filed with the State Engineer within 10 days after the well is drilled or driven. Failure to file the log within that time shall result in automatic cancellation of the permit. Log forms will be provided by the State Engineer upon request.
- D. The casing shall not exceed 7 inches outside diameter except under specific conditions in which reasons satisfactory to the State Engineer are shown.
- E. If the well under this permit is used at any time to serve more than one household, livestock in a commercial feed lot operation, the permittee shall comply with Specific Condition of Approval number 5(b).
- F. In the event this well is combined with other wells permitted under Section 72-12-1 New Mexico Statutes Annotated, the total outdoor use shall not exceed the irrigation of one acre of non-commercial trees, lawn, and garden, or the equivalent outside consumptive use, and the total appropriation for household and outdoor use from the entire water distribution system shall not exceed 3 acre feet per annum.

SPECIFIC CONDITIONS OF APPROVAL

(Applicable only when so indicated on the other side of this form.)

1. Depth of the well shall not exceed the thickness of the (a) the valley fill or (b) Ogallala formation.
2. The well shall be constructed to artesian well specifications and the State Engineer shall be notified before casing is landed or cemented.
3. Appropriation and use of water under this permit shall not exceed a period of one year from the date of approval.
4. Use shall be limited to household, non-commercial trees, lawn and garden not to exceed one acre and/or stock use.
5. A totalizing meter shall be installed before the first branch of the discharge line from the well and the installation shall be acceptable to the State Engineer; the Engineer shall be advised of the make, model, serial number, date of installation, and initial reading of the meter prior to appropriation of water and pumping records shall be submitted to the District Supervisor; (a) for each calendar month, on or before the 30th day of the following month (b) on or before the 10th of January, April, July and October of each year for the three preceding calendar months (c) for each calendar year on or before the 30th day of January of the following year.
6. The well shall be plugged upon completion of the permitted use and a plugging report shall be filed with the State Engineer within 10 days.
7. Final approval for the use of the well shall be dependent upon a leakage test made by the State Engineer.
8. Use shall be limited strictly to household and/or drinking and sanitary purposes; water shall be conveyed from the well to the place of use in closed conduit and the effluent returned to the underground so that it will not appear on the surface. No irrigation of lawns, gardens, trees or use in any type of pool or pond is authorized under this permit.

INSTRUCTIONS

The application shall be made in the name of the actual user of the well for the purpose specified in the application.

The application shall be executed in triplicate and forwarded with a \$5.00 filing fee to the State Engineer.

A separate application must be filed for each well to be drilled or used.

If well to be used is an existing well, an explanation (and file number, if possible) should be given under Remarks. (Item 5.)

Applications for appropriation, well logs and request for information in the following basins should be addressed to the State Engineer at the location indicated:

Bluewater, Estrancia, Rio Grande, Sandia and San Juan Basins

District No. 1, ~~2440 Montano NE, Room 204~~ Albuquerque, New Mexico 87107

Capitan, Carlsbad, Fort Sumner, Hondo, Jal, Lea, Penasco, Portales, Roswell, and Upper Pecos Basins

District No. 2, Box 1717, Roswell, New Mexico 88201

Animas, Gila-San Francisco, Hot Springs, Las Animas Creek, Lordsburg, Mimbres, Nutt-Hockett; Playas, San Simon, and Virden Valley Basins

District No. 3, Box 844, Deming, New Mexico 88030

Canadian River Basin

State Engineer, State Capitol, Bataan Memorial Bldg., Santa Fe, New Mexico 87503

State Engineer Office, District 1
3311 Candelaria, NE Suite A
Albuquerque, New Mexico 87107

Point of Diversion Summary

quarters are 1=NW 2=NE 3=SW 4=SE
quarters are smallest to largest

NAD83 UTM in meters

Well Tag	POD Nbr	Q64	Q16	Q4	Sec	Tws	Rng	X	Y	Map
	RG 51952	SE	SE	SE	24	14N	09E	415502.0	3920183.0 *	

* UTM location was derived from PLSS - see Help

Driller License: 49 **Driller Company:** DENNISSON DRILLING OF NM, INC.

Driller Name:

Drill Start Date: 1990-02-26 **Drill Finish Date:** 1990-02-27 **Plug Date:**

Log File Date: 1990-03-09 **PCW Rcv Date:** **Source:** Shallow

Pump Type: **Pipe Discharge Size:** **Estimated Yield:** 20

Casing Size: 5.00 **Depth Well:** 55 **Depth Water:** 36

Water Bearing Stratifications:

Top	Bottom	Description
30	42	Sandstone/Gravel/Conglomerate

Casing Perforations:

Top	Bottom
22	42

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.